



Chalk Powder

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: Chalk Powder

Colour: Red, Blue, Black, Yellow, Green, Orange, White

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Marking.

1.3 Details of the supplier of the safety data sheet

Company name: WuXi XinKe Tools Manufacture Co., Ltd.

Contact person: JACKIE Duty:Business manager

Address:A47 PLOT, SHUOFANG INDUSTRIAL CONCENTRATED ZONE, NEW DISTRICT, WUXI, JIANGSU,

214142, CHINA

Telephone number:+86-13812020573

E-mail address:Jackiechen@sincotools.com.cn

1.4 Emergency telephone number:

+86-13812020573
Other information: /

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance/mixture according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and globally harmonized system of classification and labelling of chemicals(GHS)

Physical hazards

Not Classified.

Health hazards

Not Classified.

2.2 Label Elements

Hazard Pictogram(s): None.

Signal Word: None.

Hazard Statements

No information available.

Page 2 of 11

Revision: 7

Sep.28, 2022

NB2022092221



Chalk Powder

Precautionary statements

No information available.

2.3 Other hazards

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

1) Red

Component	Weight (%)	CAS NO.	GHS
Calcium carbonate(CaCO ₃)	75~80	471-34-1	No data available
Red iron oxide-pigment	20~25	1309-37-1	No data available

2) Blue

Component	Weight (%)	CAS NO.	GHS
Calcium carbonate(CaCO ₃)	80~85	471-34-1	No data available
Ultramarine blue	15~20	57455-37-5	No data available

3) Black

Component	Weight (%)	CAS NO.	GHS
Calcium carbonate(CaCO ₃)	70~75	471-34-1	No data available
Black Iron Oxide	25~30	1309-38-2	No data available

4) Yellow

Component	Weight (%)	CAS NO.	GHS
Calcium carbonate(CaCO ₃)	75~80	471-34-1	No data available
Yellow Iron Oxide	20~25	51274-00-1	No data available

Page 3 of 11
Revision: 7
Sep.28, 2022

NB2022092221



Chalk Powder

5) Green

Component	Weight (%)	CAS NO.	GHS
Calcium carbonate(CaCO ₃)	85~90	471-34-1	No data available
Fluorescent green	10~15	1328-53-6	No data available

6) Orange

Component	Weight (%)	CAS NO.	GHS
Calcium carbonate(CaCO ₃)	85~90	471-34-1	No data available
Fluorescent orange	10~15	1719-72-8	No data available

7) White

Component	Weight (%)	CAS NO.	GHS
Calcium carbonate(CaCO ₃)	100	471-34-1	No data available

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact Immediately rinse open eyes with running water for at least 15 minutes. Obtain medical attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and

shoes. Get medical attention immediately if symptoms occur.

Ingestion Do not induce vomiting without medical advice. Clean mouth with water. Never administer anything

by mouth to an unconscious person. Obtain medical aid immediately.

Inhalation If breathed in, move person into fresh air. If breathing is difficult, give oxygen. If not breathing, give

artificial respiration. Get medical aid immediately if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Page 4 of 11
Revision: 7
Sep.28, 2022

NB2022092221



Chalk Powder

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Extinguishing media which shall not be used for safety reasons

No information available.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation, Avoid dust formation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid breathing vapors, mist, gas or dust.

6.1.2 For emergency responders

Use suitable protective equipment for personal protection.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Sweep up, vacuum and collect in suitable, closed containers for recovery or disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections

If appropriate Sections 8 and 13 shall be referred to.

7. HANDLING AND STORAGE

Page 5 of 11
Revision: 7
Sep.28, 2022

NB2022092221



Chalk Powder

7.1 Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment. Avoid direct physical contact. Do not breathe dust. Do not breathe vapors or spray mist. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke while handling. Keep far away from flammable materials and heat source. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well-ventilated location in a tightly sealed container or cylinder. To maintain product quality, do not store in heat or direct sunlight. Keep away from incompatible materials, ignition sources and untrained individuals. Secure and label area. Protect containers/cylinders from physical damage. The storage area should be equipped with a leak emergency treatment equipment and suitable shelter materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure limit values

Component	ACGIH TLV	OSHA PEL	NIOSH		
		TWA: 15 mg/m ³ (8 hours)	TWA: 10 ppm (8 hours)		
Calcium carbonate	No data available	(Inhalable fraction)	(Inhalable fraction)		
(471-34-1)	No data available	5 mg/m³(8 hours)	5 mg/m³(8 hours)		
		(Respirable fraction)	(Respirable fraction)		
Red iron oxide-pigment (1309-37-1)	No data available	TWA: 10 mg/m³(8 hours)	TWA: 5 mg/m³(8 hours) (as Fe, total particulate)		

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL)

Predicted No Effect Concentration (PNEC)

No information available.

No information available.

8.2 Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Page 6 of 11

Revision: 7

Sep.28, 2022

NB2022092221



Chalk Powder

Individual protection measures

Eye protection Safety glasses with side-shields

Hand protection Protective gloves

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state : Solid powder.

Appearance : Red, Blue, Black, Yellow, Green, Orange, White.

Odor : Odorless.
Odor Threshold : Not provided.

pH : 8-9.

Melting point : 825° C / 1517° F..

Not provided. Initial boiling point and boiling range Flash point Not provided. Evaporation rate Not provided. Upper/lower explosive limits Not provided. Vapour pressure/ density Not provided. Relative density Not provided. Solubility(ies) Not provided. Partition coefficient: n-octanol / water Not provided. Auto-ignition temperature Not provided. Decomposition temperature Not provided. Viscosity Not provided.

9.2 Other information

Not provided.

Page 7 of 11

Revision: 7

Sep.28, 2022

NB2022092221



Chalk Powder

10. STABILITY AND REACTIVITY

10.1 Reactivity

Hazardous polymerization does not occur.

10.2 Chemical stability

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Incompatible products, exposure to moist air or water, keep away from fire.

10.5 Incompatible materials

Strong oxidizing agents, Acid.

10.6 Hazardous decomposition products

Carbon monoxide (CO), Carbon dioxide (CO₂).

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

(a) acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Calcium carbonate	6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3 mg/L 4h (Rat)	
(471-34-1)	0450 Hig/kg (Nat)	(OECD Guideline 402)	(OECD Guideline 403)	
Red iron oxide-pigment (1309-37-1)	> 10000 mg/kg (Rat)	No data available	No data available	

No information available.

(b) skin corrosion/irritation No information available.

(d) respiratory or skin sensitisation

(c) serious eye damage/irritation

Respiratory

Skin

No information available.

No information available.

No information available.

(f) carcinogenicity There is no known carcinogens in this product.

Page 8 of 11

Revision: 7

Sep.28, 2022

NB2022092221



Chalk Powder

(g) reproductive toxicity
 (h) STOT-single exposure
 (i) STOT-repeated exposure
 Target Organs
 (j) aspiration hazard
 No information available.
 No information available.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disruptor Information None known.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Ecotoxicity effectsDo not empty into drains. The product contains following substance(s) which

are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Calcium carbonate (471-34-1)	No data available	LC50: > 56 g/L,96h	No data available	No data available	
Red iron oxide-pigment (1309-37-1)	No data available	LC0: > 50 g/L,96h (Danio rerio)	No data available	EC50: >100 mg/L,48h	
Fluorescent green (1328-53-6)	No data available	LC50: >250 ppm,48h (Oryzias latipes)	No data available	No data available	

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Fluorescent green(1328-53-6)	No data available	0.51 - 4.8 (conc. 100 ppb),
r idorescent green (1320-33-0)	INO data available	2.1 - 74 (conc. 10 ppb)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB

No data available for assessment.

assessment

Page 9 of 11

Revision: 7

Sep.28, 2022

NB2022092221



Chalk Powder

12.6 Other adverse effectsNo information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste from Residues / Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.

Contaminated Packaging

Empty remaining contents. Dispose of in accordance with local regulations. Do

not re-use empty containers.

14. TRANSPORT INFORMATION

IMDG/IMO Not regulated.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR/RID Not regulated.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ICAO/IATA Not regulated.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazardsNo hazards identified.

14.6. Special precautions for userNo special precautions required.

Page 10 of 11

Revision: 7

Sep.28, 2022

NB2022092221



Chalk Powder

14.7 Transport in bulk according to Annex Not applicable, packaged goods. **II of Marpol73/78 and the IBC Code**

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture International Inventories X = listed

Component	EINECS	NZIoC	TSCA	DSL	NDSL	PICCS	IECSC	AICS	KECI
Calcium carbonate(CaCO ₃)	207-439-9	Х	Х	Х	-	Х	Х	Х	Х
Red iron oxide-pigment	215-168-2	Х	Х	х	-	Х	Х	Х	Х
Ultramarine blue	611-533-9	Х	Х	Х	-	Х	Х	Х	Х
Black Iron Oxide	215-169-8	Х	Х	Х	-	Х	Х	Х	Х
Yellow Iron Oxide	257-098-5	Х	Х	Х	-	Х	Х	Х	Х
Fluorescent green	215-524-7	Х	Х	Х	-	Х	Х	Х	Х
Fluorescent orange	-	-	-	-	-	-	-	-	-

United States - Federal Regulations

SARA Title III - Section 302 Extremely Hazardous Chemicals:

The components in this product are either not SARA Section 302 regulated or regulated but present in negligible concentrations.

SARA Title III - Section 313 Toxic Chemicals:

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantity (RQ):

The components in this product are either not CERCLA regulated, regulated but present in negligible concentrations, or regulated with no assigned reportable quantity.

Page 11 of 11

Revision: 7

Sep.28, 2022

NB2022092221



Chalk Powder

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS - European Inventory of Existing Commercial Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECI - Korea Existing Chemicals Inventory

15.2. Chemical safety assessment

No information available.

16. OTHER INFORMATION

This SDS is in accordance with Regulation 2012 OSHA Hazard Communication Standard(29 CFR 1910.1200) and globally harmonized system of classification and labelling of chemicals(GHS).

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability or loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of document